


2-4 Model		
N° of Turns	Direction	Size
3	-	2
0	*	3
3	+	4



This Template Covers Regular Parallel Arm Installation to 105°


EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg




	Boss Door Controls Ltd 3 & 4 Rutherford Square Brucefield Industry Park LIVINGSTON, West Lothian EH54 9BU, United Kingdom	BOSS TS5.224V
		2019
1121-CPR-AD5423	FIG 1 EN 1154:1996+A1:2002/2006	4 8 2/4 1 1 3



TS5.224V Fig. 1
Right Hand Hung.



2-4 Model		
N° of Turns	Direction	Size
3	-	2
0	*	3
3	+	4



This Template Covers Regular Parallel Arm Installation to 105°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg



	Boss Door Controls Ltd 3 & 4 Rutherford Square Brucefield Industry Park LIVINGSTON, West Lothian EH54 9BU, United Kingdom	BOSS TS5.224V
	FIG 1 EN 1154:1996+A1:2002/2006	2019 4 8 2/4 1 1 3

